
Brass Binding screws Book Binding Screws



Brass Binding Screws Brass Binding Posts

We offer a wide array of **Brass book Screws Brass Binder Sets Brass Book Binding Screws Brass Binding posts and male female Screws** (with and with flutes /serrations) and Female Binding posts, Chicago screws also known as Intercrews and menu screws. Binding screws can be used for a wide variety of jobs. From binding loose sheets of paper to creating menus, brochures and swatches. Brass Screws Binding posts Chicago screws could be Simply punched or drilled a 6mm hole (standard hole punch size) into your paper, insert the pillar then tighten the post.

Binding screws (interscews) , fluted binding Screws ,are ideal for making swatches, brochures, albums, menu's and point of sale products. They are simple to use - Punch a 6mm hole in the paper card or plastic -Insert the base through the hole and put in the screw. Easy to undo if you need to change anything. Screws fit a standard hole punch (6mm hole), approx diameter of screws approx 5.5mm and thehead diameter is 10mm. The binding screws are available in Nickel or Brass finish. Binding screw sizes are from 2mm to 50mm binding capacity

Advantages Create the very best impression for your brochures, catalogues and promotional material when a high perceived value is a must.

Main features The Brass book screw heads are the preferred dome shape and feature a knurled edge for improved grip.

The barrel diameter of 5 mm fits standard punched holes.

Book Binding posts sizes from 3mm to 90mm equal the barrel length in mm between the two screw heads.

Nickel binding screws in sizes 3mm up to 25mm are made of solid brass that has been nickel plated for that silver dipped finish.

Brass Binding screws with Serrated edge binding screws are available with flute for better grip

Male Female screws - Sizes 70mm up to 90mm incorporate a barrel and two screw heads.

Usages Use for restaurant menus, albums, corporate brochures, swatches, hotel guides, point of sale applications and much more.

Thread	Length
M3.5 M4	3mm
M3.5 M4	4mm
M3.5 M4	5mm
M3.5 M4	6mm
M3.5 M4	8mm
M3.5 M4	10mm
M3.5 M4	12mm
M3.5 M4	15mm
M3.5 M4	20mm
M3.5 M4	25mm
M3.5 M4	30mm

M3.5 M4	40mm
M3.5 M4	50mm

Finish: Nickel plated, Natural

Packing: 1000 pcs

Threads: 4mm, 3.5mm, 5/32" 3/16"

ADDEESS:

BRASS NEUTRAL LINKS PRIVATE LIMITED

Plot 12

GIDC Ind estate

Udyognagar

Jamnagar 361005 Gujarat

India

CONTACTS:

PHONE : 91-22-43449300/27

FAX : 91-22-22834046

EMAIL : info@brass-neutral-links.com

[CONTACT US](#) | [BACK TO HOME PAGE](#)

KEYWORDS: